



Introduction

This is a learning as well as an exam preparation video.

At the end of the video are practice assignments for you to attempt.

Please go to www.eastpoint.intemass.com/ or click on the link at the bottom of this video to do the assignments for this topic.

MEGAForte

Innovate. Educate.

Chapter 2: Acids, Bases & Salts

Chapter 2: Acids, Bases & Salts

Introduction

Three different theories have been put forth in order to define acids and bases.

- The Arrhenius theory of acids and bases states that “an acid generates H^+ ions in a solution whereas a base produces an OH^- ion in its solution”.
- The Bronsted-Lowry theory defines “an acid as a proton donor and a base as a proton acceptor”.
- Finally, the Lewis definition of acids and bases describes “acids as electron-pair acceptors and bases as electron-pair donors”.

Chapter 2: Acids, Bases & Salts

Acids and Bases in the Laboratory

Indicators

- An indicator tells us whether a substance is acidic or basic in nature, by the change in colour.


Common Indicators

- An acid turns blue litmus red and a base turns red litmus blue.
- Methyl orange indicator gives a red colour in an acidic solution and gives a yellow colour in a basic solution.

Chapter 2: Acids, Bases & Salts

Acids and Bases in the Laboratory

- Phenolphthalein is colourless in an acidic solution and gives a pink colour in a basic solution.



Chapter 2: Acids, Bases & Salts

Acids and Bases in the Laboratory

Olfactory Indicators

- Those substances whose odour changes in acidic or basic media are called olfactory indicators. For example: onion, vanilla and clove oil.
- On adding sodium hydroxide solution to a cloth strip treated with onion, the smell of the onion is not detected. An acidic solution does not eliminate the smell of the onion.

Chapter 2: Acids, Bases & Salts

Reaction of Acids & Bases with Metals

Acids react with metals to produce salt by displacing hydrogen.

For Example:

1. When dilute sulphuric acid reacts with the metal zinc, zinc sulphate is formed with the evolution of hydrogen gas.




2. Zinc is the only metal which reacts with sodium hydroxide to form sodium zincate with the release of hydrogen gas.



Chapter 2: Acids, Bases & Salts

Reaction of Acids & Bases with Metals



Reaction of zinc granules with dilute sulphuric acid and testing hydrogen gas by burning

Chapter 2: Acids, Bases & Salts

Reaction of Metal Carbonates & Bicarbonates with Acids

Acids react with metal carbonates or bicarbonates to form salt and water with the evolution of carbon dioxide gas.

For Example:


1. Hydrochloric acid reacts with sodium carbonate to form sodium chloride and water with the release of carbon dioxide gas.



2. Similarly, sodium bicarbonate also reacts with hydrochloric acid to form sodium chloride and water with the release of carbon dioxide gas.

Chapter 2: Acids, Bases & Salts

Reaction of Metal Carbonates & Bicarbonates with Acids



Chapter 2: Acids, Bases & Salts

Acids and Bases React with each other

The reaction between an acid and a base to form salt and water is called a neutralisation reaction.

For example:

Hydrochloric acid reacts with sodium hydroxide to form sodium chloride and water.



In general, a neutralisation reaction can be written as:



Chapter 2: Acids, Bases & Salts

Reaction of Metallic Oxides with Acids

Acids react with metallic oxides to form salt and water.

For Example:

Copper oxide (II), a black metal oxide reacts with dilute hydrochloric acid to form a bluegreen coloured copper chloride (II) solution.



Chapter 2: Acids, Bases & Salts

Reaction of Non- Metallic Oxides with Bases

Bases react with non-metallic oxides to form salt and water.

For Example:

Calcium hydroxide reacts with non-metallic oxides like carbon dioxide to form calcium carbonate salt and water.



Chapter 2: Acids, Bases & Salts

Acids and Bases in Water

Acids

An acid is a substance which dissociates (or ionises) when dissolved in water to release hydrogen ions.

For Example:

An aqueous solution of hydrochloric acid dissociates to form hydrogen ions. Since hydrogen ions do not exist as H^+ in solution, they combine with polar water molecules to form hydronium ions $[H_3O^+]$.



Chapter 2: Acids, Bases & Salts

Acids and Bases in Water

The presence of hydrogen ions [H⁺] in hydrochloric acid solution makes it behave like an acid.

Bases

A base is a substance which dissolves in water to produce hydroxide ions [OH⁻ ions]. Bases which are soluble in water are called alkalis.

For Example:

Sodium hydroxide dissolves in water to produce hydroxide and sodium ions.



Chapter 2: Acids, Bases & Salts

Acids and Bases in Water

The presence of hydroxide ions [OH⁻] in sodium hydroxide solution makes it behave like a base.

pH Scale

- pH of a solution: pH of a solution is the negative logarithm to the base 10 of the hydrogen ion concentration expressed in mole per litre.

$$\text{pH} = -\log_{10} (\text{H}^+)$$

Chapter 2: Acids, Bases & Salts

pH = 7 - Neutral	$[H^+] = [OH^-]$
pH less than 7 - Acidic	$[H^+]$ more than $[OH^-]$
pH more than 7 - Basic	$[OH^-]$ more than $[H^+]$

Chapter 2: Acids, Bases & Salts


pH Scale

Universal Indicator

In case of a colourless liquid, the accurate pH can be obtained by adding a universal indicator.

It is a mixture of several indicators and shows different colours at different concentration of hydrogen ions in a solution.

Chapter 2: Acids, Bases & Salts



Chapter 2: Acids, Bases & Salts


pH Scale

For Example:

- i. A universal indicator produces green colour in a neutral solution, $\text{pH} = 7$.**
- ii. The colour changes from blue to violet as pH increases from 7 to 14.**
- iii. The colour changes from yellow to pink and then to red as pH decreases from 7 to 1.**

Chapter 12: Consumer Protection

pH Scale



Chapter 2: Acids, Bases & Salts

pH Scale

Importance of pH in everyday life

pH change and survival of animals

- Our body works well within a narrow pH range of 7.0 to 7.8.
- When the pH of rain water is less than 5.6, it is known as acid rain.
- When this acid rain flows into rivers, it lowers the pH of the river water making the survival of aquatic life difficult.

Chapter 2: Acids, Bases & Salts

pH Scale

pH in our digestive system

- Our stomach produces hydrochloric acid which helps in the digestion of food without harming the stomach.
- Sometimes excess acid is produced in the stomach which causes indigestion.
- To get rid of this pain, bases called antacids are used.
- Antacids are a group of mild bases which react with the excess acid and neutralise it.
- Commonly used antacids are magnesium hydroxide $[\text{Mg}(\text{OH})_2]$ & sodium bicarbonate $[\text{NaHCO}_3]$.

Chapter 2: Acids, Bases & Salts

pH Scale

pH change - Cause of tooth decay

- Tooth decay starts when the pH in the mouth falls below 5.5.
- Tooth enamel is made up of calcium phosphate which is the hardest substance in the body.
- It is insoluble in water but gets corroded when the pH in the mouth falls below 5.5.
- The bacteria present in the mouth produce acids due to the degradation of sugar and food particles after eating.

Chapter 2: Acids, Bases & Salts

pH Scale

- Hence, to prevent tooth decay, the mouth should be rinsed after eating food and toothpastes which are basic should be used cleaning teeth to neutralise the excess acid.

Soil of pH and plant growth

Most of the plants have a healthy growth when the soil has a specific pH (close to 7) range which should be neither alkaline nor highly acidic. Therefore,

- Compound 'X' is Sodium hydroxide (NaOH).
- Compound 'A' is Zinc sulphate (ZnSO₄).
- Compound 'B' is Sodium chloride (NaCl).

Chapter 2: Acids, Bases & Salts

More about Salt

A salt is a combination of an anion of an acid and a cation of a base.

Examples: KCl , NaNO_3 , CaSO_4 , etc.

Salts are usually prepared by the neutralisation reaction of an acid and a base.

Family of salts

Salts having same positive ions (or same negative ions) are said to belong to a family of salts. For example, NaCl , KCl , LiCl .

Chapter 2: Acids, Bases & Salts

More about Salt

pH of Salts

- Salts of strong acid and a strong base are neutral, with a pH value of 7.

For Example: NaCl, Na₂SO₄

- Salts of strong acid and weak base are acidic, with a pH value less than 7.

For Example: Ammonium chloride solution has pH value of 6.

- Salts of weak acid and strong base are basic, with a pH value more than 7.

Chapter 2: Acids, Bases & Salts

More about Salt

For Example: Sodium carbonate solution has a pH value of 9

Common Salt

- Common salt is a neutral salt and can be prepared in the laboratory by the reaction of sodium hydroxide and hydrochloric acid.



- It is an important raw material for products of daily use such as NaOH, baking soda, washing soda and bleaching powder.

Chapter 2: Acids, Bases & Salts

More about Salt


Sodium Hydroxide

- Sodium hydroxide is produced by the electrolysis of an aqueous solution of sodium chloride (called brine).
- The process is called the chlor-alkali process because of the products formed, i.e. 'chlor' for chlorine and 'alkali' for sodium hydroxide.



Chapter 2: Acids, Bases & Salts

More about Salt



Chapter 2: Acids, Bases & Salts

More about Salt

Bleaching Powder

- It is produced by the action of chlorine on dry slaked lime $[\text{Ca}(\text{OH})_2]$.



- It is represented as CaOCl_2

Uses

- for bleaching cotton and linen in the textile industry, for bleaching wood pulp in paper factories and for bleaching washed clothes in laundry;
- as an oxidising agent in many chemical industries; and
- to make drinking water free from germs

Chapter 2: Acids, Bases & Salts

More about Salt

Baking Soda

Chemical formula: NaHCO_3


- It is produced on a large scale by treating cold and concentrated solution of sodium chloride (brine) with ammonia and carbon dioxide.



Chapter 2: Acids, Bases & Salts

More about Salt

- On heating, it decomposes to give sodium carbonate with the evolution of carbon dioxide.



Uses

- For making baking powder, which is a mixture of baking soda (sodium hydrogencarbonate) and a mild edible acid such as tartaric acid. When baking powder is heated or mixed in water, the following reaction takes place:



Chapter 2: Acids, Bases & Salts

More about Salt



- Sodium hydrogencarbonate is also an ingredient in antacids. Being alkaline, it neutralises excess acid in the stomach and provides relief.
- It is also used in soda-acid fire extinguishers.

Washing Soda

- Chemical formula: $\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$
- Sodium hydrogen carbonate, on heating decomposes to give sodium carbonate with the release of hydrogen gas. Re-crystallisation of sodium carbonate produces washing soda.

Chapter 2: Acids, Bases & Salts

More about Salt



Chapter 2: Acids, Bases & Salts

More about Salt

Uses

- Sodium carbonate (washing soda) is used in glass, soap and paper industries.
- It is used in the manufacture of sodium compounds such as borax.
- Sodium carbonate can be used as a cleaning agent for domestic purposes.
- It is used for removing permanent hardness of water.

Chapter 2: Acids, Bases & Salts

More about Salt

Water Of Crystallisation

- Water molecules which form a part of the structure of a crystal are called water of crystallisation.
- The salts which contain water of crystallisation are called hydrated salts.
- Every hydrated salt has a fixed number of molecules of crystallisation in its one formula unit.
- For Example: $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$, $\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$, $\text{CaSO}_4 \cdot 5\text{H}_2\text{O}$, and $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$

Chapter 2: Acids, Bases & Salts

More about Salt

- Copper sulphate crystals ($\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$) are blue in colour, and on heating strongly they lose all the water of crystallisation and form anhydrous copper sulphate, which is white.

On adding water to anhydrous copper sulphate, it gets hydrated and turns blue.




Chapter 2: Acids, Bases & Salts

More about Salt

Plaster of Paris

- Plaster of Paris is prepared by heating gypsum at 373 K. On heating, it loses water and becomes calcium sulphate hemihydrate ($\text{CaSO}_4 \cdot \frac{1}{2} \text{H}_2\text{O}$) which is called Plaster of Paris.



Chapter 2: Acids, Bases & Salts

More about Salt


Uses

- Used in hospitals as plaster for supporting fractured bones in the right position.
- Used as a fire-proofing material.

Chapter 2: Acids, Bases & Salts

MIND MAP : LEARNING MADE SIMPLE

Chapter-2



Practice Assignments, Exam Prep Assignments for The CBSE Business Studies

1. You may now proceed to try out the exam preparation assignments.
2. **ALL** assignments will be marked and feedback will be given.
3. Should you need to speak to one of our tutors send your email to **administration@intemass.com**
4. Please proceed to the link www.eastpoint.intemass.com at the bottom of this video to commence with your practice.



Please click **subscribe** to our video if you find the content useful.

ALL THE BEST WITH YOUR ASSIGNMENTS

